



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/497,045	02/02/2000	Bassel H. Daoud	DAOUD-276-48-12-72-9	7013

7590

01/15/2003

Edward M. Weisz, ESQ.
COHEN, PONTANI, LIEBERMAN & PAVANE
551 FIFTH AVENUE
SUITE 1210
NEW YORK, NY 10176

EXAMINER

HALPERN, MARK

ART UNIT

PAPER NUMBER

1731

DATE MAILED: 01/15/2003

12

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/497,045

Applicant(s)

DAOUD ET AL.

Examiner

Mark Halpern

Art Unit

1731

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 11/4/02
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 14, 16-18, 23-26, 31, 32, 34, 36 and 37 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 14, 16-18, 23-26, 31, 32, 34, 36 and 37 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

- 1) Acknowledgement is made of RCE received 11/4/2002, Paper No. 11.

Amendment received 9/3/2002, Paper No. 9, is under consideration. Applicants amend claims 24 and 31.

Drawings

- 2) This application has been filed with informal drawings, which are acceptable for examination purposes only. Formal drawings will be required when the application is allowed.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

- 3) Claims 14, 16-18, 23-26, 31-32, 34, 36-37, are rejected under 35 U.S.C. 103(a) as being unpatentable over Dichter (2,107,979) in view of Prost (4,846,746). Dichter discloses a multi-piece mold apparatus for forming screw-threaded necks on bodies such as glass tubes or vials (col. 1, lines 1-15). The apparatus includes rollers 30 and 31 on shanks 26, 27, of tongs 25, adapted to engage the end of the glass tube or vial 10 to make a threaded end in the glass. The apparatus includes a plunger 35 supported

Art Unit: 1731

on shaft 37 adapted to enter the glass tube, said plunger being attached to a shouldered portion 36 adopted to engage the free end of the vessel, which defines the mouth thereof. Said plunger 35 diameter is less than the diameter of said shouldered portion 36. The tube or vial 10 is mounted on disks 12, and is subjected to rotational movement from roller 15 (Dichter, col. 1, line 44 to col. 4, line 9, and Figures 1-3). Additionally, the claim recites a heating source within a one piece of the mold. Dichter fails to disclose a heating source within a piece of the mold. Prost discloses a multi piece mold where glass is heated from a heated source within the mold until the glass is rendered malleable to be pressed into a desired shape (Prost, col. 2, lines 10-37, and Figures 1-4). It would have been obvious to combine the teachings of Prost and Dichter, because such a combination would provide an improved means of heating the glass tube in the Dichter design. The Prost multi piece heating system includes heat generator 18, which creates a flame 20, from burner 19, along heating axis 21, heat distribution channels, ventilation channels, and temperature sensors. The heating from burner torches 19 and 23 is shown in Figure 4 (Prost, col. 3, line 49 to col. 6, line 15, and Figures 3-4).

Response to Amendment

4) Claims 14, 16-18, 23-26, 31-32, 34, 36-37, rejection under 35 U.S.C. 103(a) as being unpatentable over Wilson (677,161) in view of Prost (4,846,746), is withdrawn in view of amended claims.

Conclusion

5) Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark Halpern whose telephone number is 703-305-4522. The examiner can normally be reached on Mon-Fri, (9:00-5:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven Griffin can be reached on 703-308-1164. The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-7718 for regular communications and 703-305-3599 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0651.



Mark Halpern
Patent Examiner
Art Unit 1731

January 9, 2003